

TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION DIVISION OF SOLID WASTE MANAGEMENT SOLID WASTE DISPOSAL FACILITY EVALUATION

NAME OF SITE	***********	REGISTRATION NUMBER	DATE
Panis - Henry Co. Land!	11-	DML 40-101-0083	9-4-14
L LOCATION (physical) /		PURPOSE Complete () Follow-up
Jones Bend Ro	1. Paris	() Complaint () Other
OWNER/OPERATOR	17 1 117)	TYPE OF FACILITY () CLASS	S1 () CLASS II
Pars Henry Co.		CACLAS	
1750	V1 V2		V1 V2
Inadequate vector control	8010	Leachate improperly managed 83	330
Access not limited to operating hours	8020	Inadequate leachate collection	
Inadequate artificial or natural barrier	8030		340
Inadequate information signs	8040		350
Unsatisfactory access road(s)/parking	8040		360
	8050	Leachate entering a water	
area(s)	8030		370
Certified personnel not present	9060	Inadequate gas migration control	
during operating hours	8060		380
Unapproved salvaging of waste	8070	_ system 83 Inadequate maintenance of gas	
Evidence of open burning	8080		390
Inadequate fire protection	8090		
Unsatisfactory litter control	8110	Potential for explosions or uncontrolled fires 84	420
Inadequate employee facilities	8120		120
No communication devices	8130	Waste not confined to a	430
Inadequate operating equipment	8140		440
Unavailability of backup equipment	8150	- I mikrobot obtomining or manne	
Unavailability of cover material	8160		450
Inadequate maintenance of	2.772		460
runon/runoff system(s)	8170	Unsatisfactory intermediate	470
Inadequate erosion control	8180		470
Inadequate dust control	8190		480
Unauthorized waste accepted	8210		490
Unapproved special waste accepted	8220	Unsatisfactory stabilization of	-10
Tires improperly handled	8230	- 1	510
Medical waste improperly handled	8240	_	520
Dead animals improperly handled	8250		530
Washout of solid waste	8270	Groundwater monitoring system	
No permanent benchmark	8280	= 1	540
Inadequate random inspection		Operation does not correspond	
program	8290		570
Mishandling of special waste	8300	Operation does not correspond	
Buffer zone standard violated	8310		580
Inadequate maintenance of leachate		Permit, plans, operating manual	
management system	8320	_	590
		No operating scales 86	610
COMMENTS:	To a second		
Silt is in cood	condition, 1	Vo violentions noted	
3			
PERSON INTERVIEWED . M INSPECTED BY			
(Signature) (Signature)	le	(Signature)	Dues
TITLE	U	TITLE Geologist	-/
TIME OF DAY 0950 WEATHER CONDITIONS 34 MM CLAVA COMPLIANCE DATE			
Distribution: Facility - White Field Office - Canary Central Office - XC			